

GIANT CARPET TILE

>>> CONCORD (1 x 2 m)

FLAT ASPECT



The CONCORD textile tile allows an effective protection of sport floors against any damage (shocks, stains...). Textile tile flat aspect.



Quick and easy installation

- No need for skilled staff
- 4 people can cover 800 sqm in one hour
- Large tiles: 1 x 2 m
- Self laying tiles, requiring no glue or adhesive to avoid damaging your sports floor
- Specially adapted transport trolley



Effective protection of sports floors

Against all shocks, stains and damages due to:

- shoes
- furniture
- spilled food and liquids



Advanced technology

- Innovative textile fibres designed to withstand heavy use
- White backing, unique on the market, odourless, leaving no trace on your sports floor
- Fire safety (Bfl-s1 fire certificate)



Easy cleaning

- A simple vacuum cleaning or jet washing when necessary is enough
- A stained or damaged tile? No worries, just replace it with another one (guaranteed restock)




GIANT CARPET TILE

>>> CONCORD (1 x 2 m)

FLAT ASPECT

AVAILABLE COLOURS



1725 Light Grey




1705 Anthracite



1708 Brown



1704 Night Blue



1702 Dark Red



White backing,
unique on the market
leaving no trace on the floor

TECHNICAL DATA

Surface: flat needlepunched textile tile

Backing: PLUS (polyolefin) white

Fibre: 100 % polypropylene

Total weight: 3100 g/m² ± 10%

Total thickness: 5,2 mm

Installation: loose laid

To avoid the checkerboard effect lay tiles in the same direction (see arrow on the back of the tile).



Use classification (EN1307): class 32

Comfort class: LC1

Test of the wheeled chair (EN985): intensive use

Antistatic properties (ISO6356): ≤ 2 kV

Acoustic absorption (EN ISO354): α_w = 0,15

Dimensional stability (EN986): ≤ 0,2% - in both directions



REFERENCES

1702 Dark Red	GCDSW1702A200
1704 Night Blue	GCDSW1704A200
1705 Anthracite	GCDSW1705A200
1708 Brown	GCDSW1708A200
1725 Light Grey	GCDSW1725A200

Minimum of order: 50 sqm per color, then multiple of 10 sqm.
Possibility to mix colours.

As standard, batch number and arrows are printed on each tile.
Possibility to add customer's name (20 characters maximum).
1 to 2 markings / tile, black colour. Minimum of order: 1500 m².
For more information, please contact our sales team.



Loose laid on any A2fl
or A1fl class substrate



Formaldehyde E1 - No PCP



ASQUAL

07

EN 14041 : 2005
N°0334-CPR-0201
DOP25



BTG

23

EN 14041 : 2005
N°0338-CPR-5576
DOPUK25



*Information on the level of emissions
of volatile substances in indoor air,
with a risk of inhalation toxicity, on a class scale
from A+ (very low emissions) to C (high emissions)

** According to our warranty terms, see our website

>>> HANDLING TROLLEYS FOR GIANT CARPET TILES



120 TILES (240 m²)

MAX LOAD 800 kg | CONCORD | EFFEX

TECHNICAL DATA

Load: up to 800 kg maximum

Platform height: 480 mm

Dimensions: 2000 x 1000 mm

Inflatable wheels: 400 x 80 mm

Weight: 71,5 kg

Reference **CHARDAL800**



190 TILES (380 m²)

MAX LOAD 1250 kg | CONCORD | EFFEX

TECHNICAL DATA

Load: up to 1250 kg maximum

Platform height: 490 mm

Dimensions: 2000 x 1000 mm

Inflatable wheels leaving no trace on the sport floor: 400 x 100 mm

Weight: 113 kg

Reference **CHARDAL1250**

* According to the warranty terms indicated in the instructions delivered with the trolley