

GIANT CARPET TILE

>>> **EFFEX** (1 x 2 m)

VELOURS ASPECT



The EFFEX textile tile allows an effective protection of sport floors against any damage (shocks, stains...). Textile tile flat aspect.



Quick and easy installation

- No need for skilled staff
- 4 people can cover 800 sqm in one hour
- Large tiles: 1 x 2 m
- Self laying tiles, requiring no glue or adhesive to avoid damaging your sports floor
- Specially adapted transport trolley



Effective protection of sports floors

Against all shocks, stains and damages due to:

- shoes
- furniture
- spilled food and liquids



Advanced technology

- Innovative textile fibres designed to withstand heavy use
- White backing, unique on the market, odourless, leaving no trace on your sports floor
- Fire safety (Bfl-s1 fire certificate)



Easy cleaning

- A simple vacuum cleaning or jet washing when necessary is enough
- A stained or damaged tile? No worries, just replace it with another one (guaranteed restock)



GIANT CARPET TILE

>>> **EFFEX** (1 x 2 m)

VELOURS ASPECT

AVAILABLE COLOURS




1015 Grey



1005 Dark Grey



1020 Black



1040 Pure Solid Black



White backing,
unique on the market
leaving no trace on the floor

TECHNICAL DATA

Surface: velours needlepunched textile tile

Backing: PLUS (polyolefin) white

Fibre: 100 % polypropylene

Total weight: 3200 g/m² ± 10%

Total thickness: 6 mm

Installation: loose laid

To avoid the checkerboard effect lay tiles in the same direction (see arrow on the back of the tile).

Use classification (EN1307): class 23 / class 32

Comfort class: LC2

Test of the wheeled chair (EN985): intensive use

Antistatic properties (ISO6356): ≤ 2 kV

Acoustic isolation (EN1307): ΔL_w ≥ 20 dB

Dimensional stability (EN986): ≤ 0,2% - in both directions



REFERENCES

1005 Dark Grey	GEXSW1005A200
1015 Grey	GEXSW1015A200
1020 Black	GEXSW1020A200
1040 Pure Solid Black	GEXSW1040A200

Minimum of order: 50 sqm per color, then multiple of 10 sqm.

Possibility to mix colours.

As standard, batch number and arrows are printed on each tile.

Possibility to add customer's name (20 characters maximum),

1 to 2 markings / tile, black colour. Minimum of order: 1500 m².

For more information, please contact our sales team..



Loose laid on any A2fl or A1fl class substrate



Formaldehyde E1 - No PCP



ASQUAL
07
EN 14041 : 2005
N°0334-CPR-0201
DOP26



BTG
23
EN 14041 : 2005
N°0338-CPR-5576
DOPUK26



*Information on the level of emissions of volatile substances in indoor air, with a risk of inhalation toxicity, on a class scale from A+ (very low emissions) to C (high emissions)

** According to our warranty terms, see our website

>>> HANDLING TROLLEYS FOR GIANT CARPET TILES



120 TILES (240 m²)

MAX LOAD 800 kg | CONCORD | EFFEX

TECHNICAL DATA

Load: up to 800 kg maximum
Platform height: 480 mm
Dimensions: 2000 x 1000 mm
Inflatable wheels: 400 x 80 mm
Weight: 71,5 kg

Reference **CHARDAL800**

190 TILES (380 m²)

MAX LOAD 1250 kg | CONCORD | EFFEX

TECHNICAL DATA

Load: up to 1250 kg maximum
Platform height: 490 mm
Dimensions: 2000 x 1000 mm
Inflatable wheels leaving no trace on the sport floor: 400 x 100 mm
Weight: 113 kg

Reference **CHARDAL1250**

* According to the warranty terms indicated in the instructions delivered with the trolley